COUNCIL COMMITTEE OF THE WHOLE

HELD ON JANUARY 18, 2022 VIA ZOOM 204 PULASKI ROAD, CALUMET CITY, ILLINOIS

CALL TO ORDER

The Council Committee of the Whole meeting was called to order at 2:34

p.m. by Mayor Jones via zoom.

PUBLIC COMMENT

NONE

ROLL CALL

YEAS:

7

ALDERMEN: Navarrete, Wilson, Tillman, Williams,

Gardner, Patton, Smith.

ABSENT:

0

ALDERMAN: NONE

Also present were Mayor Jones, City Clerk Nyota Figgs, City Treasurer Tarka, City Administrator Deanne Jaffery, IT Director Rick Wachowski,

City Attorney ShawnTe Raines Welch, Fire Chief Bachert, City

EngineersIssac Ramsey & Akuasi Nketia, Finance Director Kasperek, and

Inspectional Service Director Tillman.

Mayor's Report

Meeting on Thursday, January 20, 2022, to review and hire an Economic Development Coordinator. The meeting will start at 5:30, allotting 30 minutes per interview.

LEAD Line Replacement Program

City Engineers conducted a PowerPoint presentation regarding the LEAD replacement program explaining the program and the implementation of the program. There was a question and answer portion.

Alderman Gardner moved, seconded by Alderman Smith to recommend a motion to be placed on the next regular city council agenda on January 26, 2022, for Farnsworth to go out to bid for the Lead Line Replacement program.

ROLL CALL

YEAS:

7

ALDERMEN: Navarrete, Wilson, Tillman, Williams,

Gardner, Patton, Smith.

NAYS:

0

ALDERMAN: NONE

ABSENT:

0

ALDERMEN: NONE

MOTION CARRIED

Rental Inspection

Fees

This item was removed from the agenda to be discussed at a later

date.

Marijuana Lic

The city council discussed the possibility of additional marijuana licenses. The legality of additional licenses was discussed. The city council agreed to entertain additional licenses and meet with potential prospects. The city attorney will provide an opinion on the legality of new licenses, applications, and locations.

Adjournment

Alderman Wilson moved to adjourn, seconded by Alderman Smith

at 4:04 p.m.

MOTION CARRIED

Nyota T. Figgs

City Clerk